

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and (different and pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:55
		and input adj device and reconfigur\$9 and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:34
		345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor and and readable	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:38
		345/173.ccls. and configur\$9 and and industrial and input adj device	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:06
L1	2	"6822635".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:29
L2	0	"6822635".pn. and textile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:30
L3	0	"6822635".pn. and different adj level adj pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:31
L4	0	"6822635".pn. and different adj pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:32
L5	1	"6822635".pn. and different and pressure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:50

L6	0	"6822635".pn. and different and pressure and tectile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:50
L7	1	"6822635".pn. and different and pressure and tactile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:51
L8	0	"6822635".pn. and different and pressure and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:51
L9	1	"6822635".pn. and different and pressure and tactile and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 13:51
L12	4	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and (different and pressure\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/26 14:31
S1	1546	345/173.ccls.	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:05
S2	698	345/173.ccls. and configur\$9	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:06
S3	330	345/173.ccls. and configur\$9 and input adj device	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:06
S4	34	345/173.ccls. and configur\$9 and industrial and input adj device	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:10
S5	34	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:07
S6	22	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9 and electric\$6	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:07
S7	18	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9 and electric\$6 and conduct\$9	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:08
S8	2	345/173.ccls. and configur\$9 and industrial and input adj device and use\$9 and electric\$6 and conduct\$9 and elastomer	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:08

S9	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:48
S10	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:49
S11	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:49
S12	0	configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:50
S13	2258	configur\$9 and industrial and input adj device	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:50
S14	48	configur\$9 and industrial and input adj device and elastomer and button\$1	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:32
S15	0	configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:51
S16	24	input adj device and elastomer and button\$1 and tactile	USPAT; EPO; JPO	OR	OFF	2004/03/03 12:25
S17	1	input adj device and elastomer and button\$1 and tactile adj sensor	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:51
S18	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:51
S19	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:51
S20	0	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and industrial	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:51
S21	683081	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 electronic	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:52
S22	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:52
S23	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:53

S24	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:53
S25	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:53
S26	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:55
S27	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:55
S28	0	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and spatial	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:55
S29	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size	USPAT; EPO; JPO	OR	OFF	2004/03/03 11:55
S30	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:18
S31	2	input adj device and elastomer and button\$1 and tactile and spatial	USPAT; EPO; JPO	OR	OFF	2004/03/03 12:31
S32	1	input adj device and elastomer and button\$1 and tactile and spatial and foam	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:15
S33	1	input adj device and elastomer and button\$1 and tactile and spatial and foam and relation\$6	USPAT; EPO; JPO	OR	OFF	2004/03/03 13:01

S34	1	input adj device and elastomer and button\$1 and tactile and sensor and spatial and foam and relation\$6	USPAT; EPO; JPO	OR	OFF	2004/03/03 13:19
S35	0	input adj device and elastomer and button\$1 and tactile and sensor and spatial adj relation\$6 and foam	USPAT; EPO; JPO	OR	OFF	2004/03/03 13:19
S36	0	input adj device and tactile adj sensor and spatial adj relation\$6 adj button\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 13:20
S37	0	input adj device and spatial adj relation\$6 adj button\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 13:21
S38	1	button\$1 adj spatial adj relation\$6	USPAT; EPO; JPO	OR	OFF	2004/03/03 13:24
S39	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:35
S40	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and size	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:30
S41	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and size and shape	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:31
S42	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:33
S43	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location)	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:33
S44	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:33
S45	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and spatial)	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:34
S46	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and relation)	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:34

S47	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and relation and orientation)	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:35
S48	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and orientation)	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:35
S49	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:33
S50	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and readable	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:36
S51	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and readable and medium	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:36
S52	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and readable and storage	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:36
S53	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and codes	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:37
S54	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:38

S55	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor and tactile	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:37
S56	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor and readable	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:38
S57	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and sensor	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:38
S58	1	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1 and relation) and computer and storage and sensor and readable	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:38
S59	2	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:46
S60	0	configur\$9 and industrial and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/03/03 15:49
S61	1	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:33
S62	61	345/173.ccls. and control adj panel and configur\$9	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:06
S63	0	345/173.ccls. and control adj panel and configur\$9 and industrial and input adj device and elastomer	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:06

S64	6	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:07
S65	6	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:37
S66	0	control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and tactile adj sensor	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:11
S67	0	control adj panel and tactile adj sensor and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:13
S68	0	control adj panel and tactile adj sensor and configur\$9 and input adj device and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:13
S69	0	control adj panel and tactile adj sensor and configur\$9 and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:13
S70	2	control adj panel and tactile adj sensor	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:32
S71	1	control adj panel and tactile adj sensor and button\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:32
S72	1	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9 and control	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:33
S73	0	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9 and control and panel	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:33

S74	1	configur\$9 and input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9 and control and circuit	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:34
S75	0	345/173.ccls. and configur\$9 and industrial and input adj device and elastomer and button\$1 and control adj panel	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:36
S76	0	345/173.ccls. and configur\$9 and industrial and input adj device and button\$1 and control adj panel	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:36
S77	0	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and codes	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:37
S78	6	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:38
S79	4	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:38
S80	4	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software and electronic and measure and locat\$6 and pressure and use\$9 and control	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:40

S81	0	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software and electronic and measure and locat\$6 and pressure and use\$9 and control and tactile adj sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:40
S82	4	345/173.ccls. and control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage and software and electronic and measure and locat\$6 and pressure and use\$9 and control	USPAT; EPO; JPO	OR	OFF	2004/03/03 16:40
S83	18	control adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:52
S84	0	control adj panel and touch adj panel and configur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:52
S85	41	control adj panel and touch adj panel and configur\$9 and input adj device and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:53
S86	0	control adj panel and touch adj panel and configur\$9 and input adj device and computer and storage and elastomer	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:53
S87	12	control adj panel and touch adj panel and configur\$9 and input adj device and computer and storage and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:53
S88	0	control adj panel and touch adj panel and tactile adj sensor\$1 and input adj device and computer and storage and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:53

S89	1	control adj panel and touch adj panel and tactile and sensor\$1 and input adj device and computer and storage and (button\$1 and size and shape and function\$1 and location\$1)	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:56
S90	1	control adj panel and touch adj panel and tactile and sensor\$1 and input adj device and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:56
S91	45	control adj panel and tactile and sensor\$1 and input adj device and computer and storage	USPAT; EPO; JPO	OR	OFF	2004/03/04 07:56
S92	835	tactile adj sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/03/04 08:13
S93	1	tactile adj sensor\$1 with control adj panel	USPAT; EPO; JPO	OR	OFF	2004/03/04 08:13
S94	1	button\$1 adj spatial adj relation\$6	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:24
S95	11	reconfigur\$9 and industrial and input adj device and elastomer and button\$1	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:32
S96	0	345/173.ccls. and reconfigur\$9 and industrial and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	OR	OFF	2004/12/23 14:33
S97	51	345/173.ccls. and reconfigur\$9	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:34
S98	0	345/173.ccls. and reconfigur\$9 and input adj device and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:34
S99	12	input adj device and reconfigur\$9 and elastomer and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	OR	OFF	2004/03/04 14:34
S100	1	"5,996,082".pn.	USPAT; EPO; JPO	OR	OFF	2004/03/05 15:12
S101	0	345/173.ccls. and reconfigur\$9 and industrial and input adj device and (elastomer or foam) and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	OR	OFF	2004/12/23 14:34

S10 2	2	345/173.ccls. and reconfigur\$9 and input adj device and (elastomer or foam) and (button\$1 and size and shape and function\$1 and location\$1) and computer	USPAT; EPO; JPO	OR	OFF	2004/12/23 14:34
S10 3	1	input adj device and elastomer and button\$1 and tactile and spatial and foam and different	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:18
S10 4	1	input adj device and elastomer and button\$1 and tactile and spatial and foam and ((different or variable) and pressure and level)	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:16
S10 5	0	input adj device and elastomer and button\$1 and tactile and spatial and foam and ((different or variable) and pressure and level)and (different and function\$6 and assign\$6)	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:17
S10 6	0	input adj device and elastomer and button\$1 and tactile and spatial and foam and ((different or variable) and pressure and level\$1)and (different and function\$6 and assign\$6)	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:17
S10 7	1	input adj device and elastomer and button\$1 and tactile and spatial and foam and ((different or variable) and pressure and level\$1)and (different and function\$6)	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:17
S10 8	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and different and function\$1 and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:19
S10 9	0	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and (different and pressure and level\$1 and different and function\$1) and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:20

S110	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and (different and pressure and different and function\$1) and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:20
S111	1	input adj device and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and (different and pressure\$1 and different and function\$1) and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:38
S112	9	input adj device and (different adj pressure\$1 and define\$6 and different adj function\$1)	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:41
S113	0	input adj device and (different adj pressure\$1 and define\$6 and different adj function\$1) and elastomer and button\$1 and tactile adj sensor\$1 and configur\$9 and electronic and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:41
S114	0	input adj device and (different adj pressure\$1 and define\$6 and different adj function\$1) and tactile adj sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:41
S115	0	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and tactile adj sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:42
S116	0	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and tactile and sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:42
S117	9	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1)	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:43
S118	8	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:44

S11 9	0	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1 and tectile	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:43
S12 0	0	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1 and elastomer and button\$1 and configur\$9 and electronic and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:44
S12 1	1580	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1 and button\$1 and configur\$9 and electronic and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:44
S12 2	0	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1 and button\$1 and configur\$9 and electronic and measure and locat\$6 and pressure and shape and size and use\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:45
S12 3	6	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1 and button\$1	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:45
S12 4	8	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:48
S12 5	6	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1 and button\$1 and configur\$9	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:49
S12 6	1	input adj device and (different adj pressure\$1 and (define\$6 or assign\$6) and different adj function\$1) and sensor\$1 and button\$1 and configur\$9 and electronic	USPAT; EPO; JPO	OR	OFF	2004/12/23 16:46

S12 7	2	Electronic and whiteboard and system and tactile and foam and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:52
S12 8	1	Electronic adj whiteboard and tactile and foam and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:52
S12 9	2	Electronic adj whiteboard and tactile and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:52
S13 0	5	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:53
S13 1	0	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and (different adj pressure\$1 and define\$6 and different adj function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:53
S13 2	0	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and different adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:54
S13 3	0	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and (different or variable) adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:54
S13 4	0	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and (different or vari\$6) adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:54
S13 5	0	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and (different or vary\$6) adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:54
S13 6	4	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and different and pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:55

S13 8	4	Electronic adj whiteboard\$1 and tactile\$1 and sensor\$1 and (different and pressure\$1) and (different and function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 16:55
S13 9	29083706	control adj panel a nd tectile adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:01
S14 0	0	control adj panel and tectile adj sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:02
S14 1	43	control adj panel\$1 and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:02
S14 2	43	control\$6 adj panel\$1 and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 18:21
S14 3	1	control\$6 adj panel\$1 and tactile adj sensor\$1 and different adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:04
S14 4	1	control\$6 adj panel\$1 and tactile adj sensor\$1 and (different or plurality) adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:05
S14 5	0	control\$6 adj panel\$1 and tactile adj sensor\$1 and plurality adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:05
S14 6	0	control\$6 adj panel\$1 and tactile adj sensor\$1 and each adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:06
S14 7	1	control\$6 adj panel\$1 and tactile adj sensor\$1 and variable adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:07

S14 8	1	control\$6 adj panel\$1 and tactile adj sensor\$1 and vari\$6 adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:07
S14 9	1	control\$6 adj panel\$1 and tactile adj sensor\$1 and multiple adj pressure\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:09
S15 0	24	control\$6 adj panel\$1 and tactile adj sensor\$1 and (pressure\$1 and (define\$6 or assign\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:10
S15 1	24	control\$6 adj panel\$1 and tactile adj sensor\$1 and (pressure\$1 and (define\$6 or assign\$6) and function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:35
S15 2	2	control\$6 adj panel\$1 and input adj button\$1 and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:36
S15 3	34	control\$6 adj panel\$1 and input and button\$1 and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:37
S15 4	2	control\$6 adj panel\$1 and input and button\$1 and reconfigurable and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:36
S15 5	1	control\$6 adj panel\$1 and input and button\$1 and configurable and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:37
S15 6	10	control\$6 adj panel\$1 and input and button\$1 and assign\$6 and tactile adj sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 17:38
S15 7	3	control\$6 adj panel\$1 and tactile adj sensor\$1 and pressures	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/23 18:21